


Sunsail 444 - 4 Cabin, 4 Head
Specifications



Specification and Equipment

HULL & DECK

The hulls are of GRP construction with balsa core for strength, stiffness and insulation, using high quality materials

The hulls are painted with EPA approved environmentally friendly anti-fouling

The rudders are composite with a stainless steel shaft

Both deck and hull are finished in white gel coat with the trademark Sunsail striping and graphics

The deck has a moulded-in nonskid pattern providing excellent traction

The trampoline net is one piece and firmly secured

The double helmsman seat is located in the hardtop to allow for a 360 degree view around the boat

Removable helmseat spray dodger/windscreen

LPG Gas outlet on stern rail for optional barbeque

Sunsail 444 coach roof decal set

Custom stainless steel davit system with tackle with electric winch

55 lb (25 kg) Delta anchor with 165 ft (50 m) chain

35 lb (16 kg) Britany anchor with 26 ft (8 m) chain & 200 ft (61 m) warp

Anchor bridle, shackles and hook

6 x Fenders

4 x Moorings lines

2 x Spring lines

DECK FITTINGS

Guard wires with stanchions, bases, port and starboard gates

1000 w horizontal windlass with hand-held remote

Anchor bow roller fitting

Anchor chain stopper

Liferaft locker

Sliding Companionway door

Hardtop over cockpit complete with lighting

Forward cockpit splash cover

Hardtop bimini over Helm

Mainsheet track on hard top allows free access to swim platform

Swimming ladder with teak steps

Cockpit table

Furler jammer on deck

Mainsheet System (3:1 purchase)

Trampoline

Helmseat

Life ring holder

Acrylic windows

11 x Hatches

14 x Port lights

Forward cockpit awning

Side window brows

Coach roof side window removable shade covers

2 x Spacious foredeck lockers

1 x Forward Cockpit Locker

Additional 2 Seats and folding table in forward cockpit

2 x Pulpits

2 x Push pits

2 x Coach roof stainless steel handrails

9 x Mooring cleats

2 x Winch handles

1 x Winch handle pocket at helm

2 x Drinking can holders

2 x Genoa cars

2 x Genoa tracks

2 x Halyard jammers at helm (Main & Spinnaker)

1 x Halyard on rack on mast (Genoa)

2 x Genoa jammers at helm

2 x mainsheet jammers at helm

1 x Halyard winches

2 x Primary sheet winches

4 x Padeyes to allow for spinnaker tackle

2 x reef jammers at helm

Hardtop stainless steel support

ENGINE & CONTROLS

Double lever throttle /gearshift control

Sound deadening panels in engine room

2 x Engine room ventilation fans and ducting

2 x Yanmar 39 hp engines with sail drives in lieu of std 29 hp engines

2 x Propellers - 2 blade fixed

2 x Fuel deck fillers

2 x Fuel filter / water separators

2 x Aluminium fuel tanks 185 US gal. / 700 l total capacity

2 x Exhaust skin fittings (stainless steel)

2 x Exhaust water locks

2 x Cooling water inlet strainers

RUDDER & STEERING SYSTEM

Balanced spade rudders

Rudder stock in stainless steel

Self aligning bearings

Chain and wire steering system with bulkhead steering unit and brake

Destroyer-type steering wheel

Emergency tiller (stainless steel)

RUNNING RIGGING

2 x Main sheets (3:1 purchase)

2 x Genoa sheets

3 x Halyards (main, genoa & spare)

2 x Reefs lead aft

Main boom topping lift

Mainsail outhaul

MAST & SAILS

Natural anodized mast

Natural anodized crossbeam

Wind indicator

Genoa furler

Mainsail full battened with 2 rows reefs

120% furling genoa

2 x Additional spare 12 v wires in mast

Additional spare conduit with messenger in mast

Winch handle pocket

Sunsail 444 - 4 Cabin, 4 Head

Sail stack pack

Boom cover

PLUMBING INSTALLATION

Hot and cold pressurized fresh water system consisting of:

2 x Water tanks, 264 US gal. / 1000 l total capacity

1 x 3.5 GPM fresh water pressure pump with 1 l accumulator tank

2 x Hot water cylinders 12 US gal. / 45 l total capacity

Hot & cold transom shower

4 x Shower drain pumps with filters

2 x Holding tanks, 26 US gal. / 100 l total capacity

4 x Electric bilge pumps with float switches and alarms at helm and nav stations

2 x Manual bilge pumps with strum boxes

ELECTRICAL INSTALLATION

110 v hard wired shore power pack: includes 2 heavy duty 50 ft 30 amp shore power lines, AC switch panel, AC double outlets in cabins, galley and at freezer and switch panel

LED Courtesy lights at stairways

Bi-colour & stern navlights

Compass at helm position

12 v DC switch panel

2 x 12 v outlet sockets at switch panel and at helm station

2 x Fuel tank gauges at helm position

2 x Ammeters at helm position

2 x AGM engine start batteries

3 x AGM house batteries

1 x House battery isolator switch

2 x Engine starter battery isolator switches

2 x Alternators, standard with engines

1 x Electrical spares kit: fuses, relays, fuse holders

CD player with two Polyplanar speakers in saloon and two marine speakers in cockpit with auxiliary jack input

External portable foredeck speakers, inc. fader & amplifier

Battery charger 40 amp 12/40

VHF radio with external speaker

Autopilot

Rotary drive

Colour chart plotter

Wind instrument

Tridata & depth transducer

2 x Solar panels each fitted to hard top

Generator - 6 kw supplied from aft fuel tank

Air conditioning System

Ventilation fans in saloon (2) & cabins (4)

SALOON

Cherry panelite finishes with solid wood trims

Saloon table and settee

Saloon table convertible to double bunk c/w cushions

Wear resistant simulated Austrian Walnut flooring

Overhead LED lighting

Ample ventilation through forward facing portlights

Stowage space under settee cushions

2 x Ventilation fans

GALLEY

Corian galley work top surfaces

Single lever mixer faucet

Double stainless steel sink

Dish and cutlery drying recess with drainage

Cover for drying recess

2-drawer front-opening fridge/freezer 56 US gal. / 212 l 12 v refrigeration

Gas cooker 3-burner with oven & broiler

Gas solenoid shut-off valve with control at switch panel & warning light at cooker

Gas cylinder regulator in dedicated locker

Separate garbage bin locker with top access

Stowage space in shelf lockers

Corian galley shelf

NAVIGATION CONSOLE

Chart table surface with light

Instrument and switch panel

CABINS

Cherry laminate finishes with solid wood trims

4 x Double berths:

Forward Bunks (4 ft 7 in. / 1.40 m x 6 ft 7 in. / 2.0 m)

Aft Bunks (4 ft 11 in. / 1.50 m x 6 ft 7 in. / 2.0 m)

Double bunks convertible to 2 single bunks in fwd cabins

Forepeak child berths, including mattresses

Hanging locker

Storage locker with shelving

LED Reading lamps

Overhead LED lighting

Overhead roller blinds for privacy in each cabin

Large open shelves

Stowage space under bunks

Large stowage space in forepeak

Overhead LED lighting in forepeak

Large hull window incorporating port light

Ventilation fans in cabins

HEADS

2 heads in each hull

Washbasins with mixer taps

Vanity lockers with mirrors

Towel hooks

Towel rails

Towel rings

Separate shower compartment

Overhead shower with nonslip shower sump cover

LED overhead lighting

Overhead roller blinds for privacy

Large bowl electric toilets

ADDITIONAL CRUISING GEAR

Above deck equipment

Bedding linen and galley equipment

Safety equipment inc. liferaft



The Sunsail 444

The Sunsail 444 is the newest generation of cruising catamarans built by Robertson and Caine and focuses on innovation, performance, and comfort. With an abundance of outdoor space and its generous sail plan, this catamaran is both luxurious and practical. The spacious four double cabin and four head layout plus large saloon and galley gives plenty of room for groups or families. Generous headroom throughout plus substantial storage capacity gives additional space for on board relaxation.

The innovative exterior of the Sunsail 444 features not only a spacious hardtop covered aft cockpit but also a large forward cockpit with access to the saloon providing even more space for relaxing. Her powerboat-style stepped transom enabling easier boarding. Environmental considerations were also central to the design, with solar panels installed on the helm hardtop to charge the on-board batteries. For additional comfort the Sunsail 444 features generator and air conditioning.

Technical Information

Length Overall	42 ft 7 in. / 12.98 m
Waterline Length	41 ft 8 in. / 12.70 m
Beam	23 ft 9 in. / 7.25 m
Draft	4 ft 2 in. / 1.27 m
Sail Area	1,270 sq ft / 118 sq m
Engines	39 hp
Fuel Capacity	185 gal. / 700 l
Water Capacity	264 gal. / 1000 l
Berths	8 + 2 in forepeaks
Displacement	27,880 lbs / 12,615 kg
Heads	4
Showers	5

